

## Author Index

---

- Ahlblom, B., 115  
Anderson, P. M., III, 93, 267  
Aning, K., 23  
Arbel, A., 235  
Archambault, P., 1  
Arieli, A., 47  
Ast, D. G., 241
- Balasubramanian, N., 199  
Barnes, C. R., 261  
Beck, G., 1  
Bhagat, P. K., 187  
Boratto, F. J. M., 97  
Bouvaist, J., 1
- Caddell, R. M., 189  
Chan, K. S., 177  
Chevrier, J. C., 1  
Curry, D. A., 135
- Dele-Dubois, M. L., 59  
Doig, P., 77
- Flewitt, P. E. J., 77  
Fuentes, M., 109
- Górecki, T., 225  
Guimarães, J. R. C., 55
- Hornbogen, E., 145
- Iskander, B., 59
- Jaensson, B., 169
- Kadaba, P. K., 187  
Koss, D. A., 177  
Krenitsky, D. J., 241
- Liebermann, H. H., 203  
Lin, F.-S., 65  
Lord, A. E., Jr., 93, 267  
Lorriaux-Rubbens, A., 59  
Ludwiczak, E. A., 247
- Minuth, E., 145  
Mohamed, F. A., 211  
Moore, D. M., 85  
Morris, L. R., 85  
Mukherjee, A., 47  
Murthy, V. R. K., 187
- Natan, M., 235  
Nickell, W. T., 187
- Öström, P., 115
- Pabi, S. K., 151  
Pai, B. C., 199  
Palchan, I., 217  
Parker, J. D., 271
- Ramachandran, B. E., 199  
Ramalingam, S., 101  
Ramanathan, L. V., 13
- Ramaswami, B., 231  
Reed-Hill, R. E., 97  
Rios Maria, C., 55  
Rosenfield, A. R., 261
- Sadananda, K., 159  
Sanders, T. H., Jr., 247  
Sargent, C. M., 125  
Sastry, S. M. L., 231  
Sawtell, R. R., 247  
Sevillano, J. G., 109  
Shahinian, P., 159  
Shinozaki, D. M., 125  
Smith, E., 35  
Stanzl, St., 145  
Starke, E. A., Jr., 65
- Thompson, A. W., 41  
Tien, J. K., 23  
Touzain, Ph., 59
- Urcola, J. J., 109
- Van Houtte, P., 7  
Vast, P., 59
- Watson, J. D., 101  
Wilshire, B., 271  
Woodliff, A. R., 189
- Zubillaga, J. C., 109

## Subject Index

## Alloys

- see also Metallic glasses
- $\alpha$ - $\beta$  Ti, fracture toughness of Widmanstätten colonies of, 177
- Al-2.8%Li-0.3%Mn sheet, recrystallized, the fracture behaviour of, 247
- Fe-Cu, a transmission electron microscopy study of lath martensite habit planes in, 109
- Fe-31.9%Ni-0.02%C, the hardness of martensite-austenite mixtures in, 55
- 7XXX-type Al, the effect of Cu content and degree of recrystallization on the fatigue resistance of, and fatigue crack propagation, 65
- 7075, a contribution to the optimization of the heat treatment of, 1
- strong Al, the effect of various anodic coatings on the creep behaviour of, 235
- structural, the effect of environment on the creep crack growth behaviour of several, 159
- superplastic Al sheet, a new, 85
- superplastic Ti, factors affecting the maximum attainable ductility in, 47
- Ti-6Al-4V, the transition effect in the cyclic temperature creep of, 217
- Zircaloy-2, hot-pressed, the influence of diffused C on the structure and oxidation of, 13

## Aluminium

- a contribution to the optimization of the 7075 heat treatment, 1
- on the dissolution kinetics of Si in an Al-rich matrix, 151
- effect of Cu content and degree of recrystallization on the fatigue resistance of 7XXX-type Al alloys: fatigue crack propagation, 65
- effect of various anodic coatings on the creep behaviour of a strong Al alloy, 235
- the fracture behaviour of recrystallized Al-2.8%Li-0.3%Mn sheet, 247
- influence of oxidation on the creep behaviour of Al, 211
- a new superplastic Al sheet alloy, 85
- the transition effect in the cyclic temperature creep of Ti-6Al-4V, 217

## Analysis

- orientation distribution function, a method of from incomplete pole figures normalized by an iterative method, 7

## Anodic coatings

- various, the effect of on the creep behaviour of a strong Al alloy, 235

## Arrhenius plots

- statistical calculations on Arrhenius lines for the diffusion of O and N in group V refractory metals, 97

## Boron

- the correlation between viscous flow and differential scanning calorimetry measurements at the glass transition in the metallic glass alloy Fe<sub>40</sub>Ni<sub>40</sub>P<sub>14</sub>B<sub>6</sub>, 267

## Bulk modulus

- and shear modulus and Young's modulus for polycrystalline metallic elements, the relations between, 225

## Carbon

- the hardness of martensite-austenite mixtures in Fe-31.9%Ni-0.02%C, 55
- the influence of diffused C on the structure and oxidation of hot-pressed Zircaloy-2, 13

## Cement

- pulsed nuclear magnetic resonance study of absorbed water in, 187

## Chill block melt spinning

- the dependence of the geometry of glassy alloy ribbons on the process parameters of, 203

## Chromium

- influence of microstructure on the localized corrosion behaviour of a 12%Cr-1%Mo ferritic stainless steel, 77

## Cleavage fracture toughness

- of ferritic steels, predicting the temperature and strain rate dependences of, 135

## Coatings

- various anodic, the effect of on the creep behaviour of a strong Al alloy, 235

## Copper

- effect of Cu content and degree of recrystallization on the fatigue resistance of 7XXX-type Al alloys: fatigue crack propagation, 65
- the effects of prestrain on the creep and fracture behaviour of polycrystalline Cu, 271
- the plastic deformation of [001]-oriented disordered Cu<sub>3</sub>Au single crystals, 231
- a transmission electron microscopy study of lath martensite habit planes in Fe-Cu alloys, 109

## Corrosion

- current status of the role of hydrogen in stress corrosion cracking, 41
- localized, of a 12%Cr-1%Mo ferritic stainless steel, the influence of microstructure on, 77

## Crack arrest

- in a wire-reinforced polymer composite, 261

## Crack growth

- creep, of several structural alloys, the effect of environment on, 159

## Cracking

- stress corrosion, current status of the role of hydrogen in, 41

## Cracks

- fatigue, the effect of Cu content and degree of recrystallization on the fatigue resistance of 7XXX-type Al alloys, and the propagation of, 65

## Crack tip

- lattice trapping at a, and the relation between the macroscopic and microscopic thermodynamic surface energies, 35

- quantitative analysis of plastic deformation at, by recrystallization, 145
- Creep**  
 of Al, the influence of oxidation on, 211  
 crack growth by, of several structural alloys, the effect of environment on, 159  
 cyclic temperature, of Ti-6Al-4V, the transition effect in, 217  
 and fracture of polycrystalline Cu, the effects of prestrain on, 271  
 and stress rupture of a wrought Ni-base superalloy in air and vacuum, 23  
 of a strong Al alloy, the effect of various anodic coatings on, 235
- Crystallization**  
 temperatures of at different heating rates from isothermal transformation times, exact values for, 93
- Cyclic deformation**  
 large strain, of ductile polymers, 125
- Deformation**  
 ideal elastic-plastic, in Fe-Ni-based metallic glasses, evidence for, 241  
 large strain cyclic, of ductile polymers, 125  
 plastic, at a crack tip, quantitative analysis of by recrystallization, 145  
 plastic, of [001]-oriented disordered Cu<sub>3</sub>Au single crystals, 231
- Differential scanning calorimetry**  
 and viscous flow at the glass transition, the correlation between in the metallic glass alloy Fe<sub>40</sub>Ni<sub>40</sub>P<sub>14</sub>B<sub>6</sub>, 267
- Diffusion**  
 of O and N in group V refractory metals, statistical calculations on Arrhenius lines for, 97
- Dislocation link lengths**  
 model of for strain hardening in stage II of polycrystalline metals of high stacking fault energy, 115
- Dissolution**  
 of Si in an Al-rich matrix, kinetics of, 151
- Ductility**  
 maximum attainable in a superplastic Ti alloy, factors affecting the, 47
- Environment**  
 effect of on the creep crack growth behaviour of several structural alloys, 159
- Fatigue**  
 resistance to of 7XXX-type Al alloys, the effect of Cu content and degree of recrystallization on, and fatigue crack propagation, 65
- Fluorosulphuric acid**  
 study of graphite-fluorosulphuric acid intercalation compounds by Raman spectrometry, 59
- Fracture**  
 and creep of polycrystalline Cu, the effects of prestrain on, 271  
 of recrystallized Al-2.8%Li-0.3%Mn sheet, 247
- Fracture toughness**  
 of Widmanstätten colonies of an  $\alpha$ - $\beta$  Ti alloy, 177
- Geometry**  
 of glassy alloy ribbons, the dependence of on the chill block melt-spinning process parameters, 203
- Glass transition**  
 in the metallic glass alloy Fe<sub>40</sub>Ni<sub>40</sub>P<sub>14</sub>B<sub>6</sub>, the correlation between viscous flow and differential scanning calorimetry measurements at, 267
- Gold**  
 the plastic deformation of [001]-oriented disordered Cu<sub>3</sub>Au single crystals, 231
- Graphite**  
 study of graphite-fluorosulphuric acid intercalation compounds by Raman spectrometry, 59
- Group V**  
 refractory metals of, statistical calculations on Arrhenius lines for the diffusion of O and N in, 97
- Habit planes**  
 lath martensite, in Fe-Cu alloys, a transmission electron microscopy study of, 109
- Hardness**  
 of martensite-austenite mixtures in Fe-31.9%Ni-0.02%C, 55
- Heating rates**  
 different, exact values for crystallization temperatures at, from isothermal transformation times, 93
- Heat treatment**  
 7075, a contribution to the optimization of, 1
- Hydrogen**  
 current status of the role of hydrogen in stress corrosion cracking, 41
- Inclusion chemistry control**  
 for machinability enhancement in steels, 101
- Intercalation compounds**  
 graphite-fluorosulphuric acid, study of by Raman spectrometry, 59
- Iron**  
 the correlation between viscous flow and differential scanning calorimetry measurements at the glass transition in the metallic glass alloy Fe<sub>40</sub>Ni<sub>40</sub>P<sub>14</sub>B<sub>6</sub>, 267  
 evidence for ideal elastic-plastic deformation in Fe-Ni-based metallic glasses, 241  
 the hardness of martensite-austenite mixtures in Fe-31.9%Ni-0.02%C, 55  
 a transmission electron microscopy study of lath martensite habit planes in Fe-Cu alloys, 109
- Lath martensites**  
 habit planes of in Fe-Cu alloys, a transmission electron microscopy study of, 109
- Lattice trapping**  
 crack tip, and the relation between the macroscopic and microscopic thermodynamic surface energies, 35
- Lithium**  
 the fracture behaviour of recrystallized Al-2.8%Li-0.3%Mn sheet, 247



**Machinability**

inclusion chemistry control for the enhancement of in steels, 101

**Manganese**

the fracture behaviour of recrystallized Al-2.8%Li-0.3%Mn sheet, 247

**Metallic glasses**

the dependence of the geometry of glassy alloy ribbons on the chill block melt-spinning process parameters, 203

Fe-Ni-based, evidence for ideal elastic-plastic deformation in, 241

Fe<sub>40</sub>Ni<sub>40</sub>P<sub>14</sub>B<sub>6</sub>, the correlation between viscous flow and differential scanning calorimetry measurements at the glass transition in, 267

**Metals**

group V refractory, statistical calculations on Arrhenius lines for the diffusion of O and N in, 97

polycrystalline, of high stacking fault energy, a dislocation link length model for strain hardening in stage II of, 115

the relations between the shear modulus, the bulk modulus and Young's modulus for polycrystalline metallic elements, 225

**Microstructure**

influence of on the localized corrosion behaviour of a 12%Cr-1%Mo ferritic stainless steel, 77

**Molybdenum**

influence of microstructure on the localized corrosion behaviour of a 12%Cr-1%Mo ferritic stainless steel, 77

**Nickel**

the correlation between viscous flow and differential scanning calorimetry measurements at the glass transition in the metallic glass alloy Fe<sub>40</sub>Ni<sub>40</sub>P<sub>14</sub>B<sub>6</sub>, 267

creep and stress rupture behaviour of a wrought Ni-base superalloy in air and vacuum, 23

evidence for ideal elastic-plastic deformation in Fe-Ni-based metallic glasses, 241

the hardness of martensite-austenite mixtures in Fe-31.9%Ni-0.02%C, 55

**Nitrogen**

statistical calculations on Arrhenius lines for the diffusion of O and N in group V refractory metals, 97

**Nuclear magnetic resonance**

pulsed, study of absorbed water in cement by, 187

**Optimization**

of the 7075 heat treatment, a contribution to, 1

**Orientation distribution function**

a method of analysis of from incomplete pole figures normalized by an iterative method, 7

**Oxidation**

influence of on the creep behaviour of Al, 211  
and structure of hot-pressed Zircaloy-2, the influence of diffused C on, 13

**Oxygen**

statistical calculations on Arrhenius lines for the diffusion of O and N in group V refractory metals, 97

**Phosphorus**

the correlation between viscous flow and differential scanning calorimetry measurements at the glass transition in the metallic glass alloy Fe<sub>40</sub>Ni<sub>40</sub>P<sub>14</sub>B<sub>6</sub>, 267

**Pole figures**

incomplete, normalized by an iterative method, a method of orientation distribution function analysis from, 7

**Polycarbonate**

and polypropylene, unoriented and oriented, yield behaviour of as influenced by temperature, 189

**Polymers**

crack arrest in a wire-reinforced polymer composite, 261

ductile, large strain cyclic deformation of, 125

**Polypropylene**

and polycarbonate, unoriented and oriented, yield behaviour of as influenced by temperature, 189

**Prestrain**

the effects of on the creep and fracture behaviour of polycrystalline Cu, 271

**Process parameters**

chill block melt-spinning, the dependence of the geometry of glassy alloy ribbons on, 203

**Raman spectrometry**

study of graphite-fluorosulphuric acid intercalation compounds by, 59

**Recrystallization**

degree of and Cu content, the effect of on the fatigue resistance of 7XXX-type Al alloys: fatigue crack propagation, 65

quantitative analysis of plastic deformation at a crack tip by, 145

**Residual stress**

a principal distinction between different kinds of X-ray equipment for the measurement of, 169

**Shear modulus**

and bulk modulus and Young's modulus for polycrystalline metallic elements, the relations between, 225

**Silicon**

on the dissolution kinetics of Si in an Al-rich matrix, 151

studies on the structural stability of high silica fabric, 199

**Single crystals**

[001]-oriented disordered Cu<sub>3</sub>Au, the plastic deformation of, 231

**Stability**

structural, of high silica fabric, studies on, 199

**Stacking fault energy**

high, a dislocation link length model for strain hardening in stage II of polycrystalline metals of, 115

**Steels**

ferritic, predicting the temperature and strain rate dependences of the cleavage fracture toughness of, 135

inclusion chemistry control for machinability enhancement in, 101

- 12%Cr-1%Mo ferritic stainless, the influence of microstructure on the localized corrosion behaviour of, 77
- Strain hardening  
in stage II of polycrystalline metals of high stacking fault energy, a dislocation link length model for, 115
- Strain rate  
and temperature, predicting the dependences on of the cleavage fracture toughness of ferritic steels, 135
- Stress  
residual, a principal distinction between different kinds of X-ray equipment for the measurement of, 169
- Stress corrosion  
cracking by, current status of the role of hydrogen in, 41
- Stress rupture  
and creep of a wrought Ni-base superalloy in air and vacuum, 23
- Structure  
of high silica fabric, studies on the stability of, 199  
and oxidation of hot-pressed Zircaloy-2, the influence of diffused C on, 13
- Surface energy  
crack tip lattice trapping and the relation between the macroscopic and microscopic thermodynamic surface energies, 35
- Temperature  
crystallization, at different heating rates from isothermal transformation times, exact values for, 93  
and strain rate, predicting the dependences on of the cleavage fracture toughness of ferritic steels, 135  
yield behaviour of unoriented and oriented polycarbonate and polypropylene as influenced by, 189
- Titanium  
factors affecting the maximum attainable ductility in a superplastic Ti alloy, 47  
fracture toughness of Widmanstätten colonies of an  $\alpha$ - $\beta$  Ti alloy, 177  
the transition effect in the cyclic temperature creep of Ti-6Al-4V, 217
- Toughness  
cleavage fracture, of ferritic steels, predicting the temperature and strain rate dependences of, 135  
fracture, of Widmanstätten colonies of an  $\alpha$ - $\beta$  Ti alloy, 177
- Transformation times  
isothermal, exact values for crystallization temperatures at different heating rates from, 93
- Transition  
in the cyclic temperature creep of Ti-6Al-4V, 217
- Transmission electron microscopy  
study of lath martensite habit planes in Fe-Cu alloys by, 109
- Trapping  
crack tip lattice, and the relation between the macroscopic and microscopic thermodynamic surface energies, 35
- Vanadium  
the transition effect in the cyclic temperature creep of Ti-6Al-4V, 217
- Viscous flow  
and differential scanning calorimetry measurements at the glass transition, the correlation between in the metallic glass alloy Fe<sub>40</sub>Ni<sub>40</sub>-P<sub>14</sub>B<sub>6</sub>, 267
- Water  
absorbed, in cement, pulsed nuclear magnetic resonance study of, 187
- Widmanstätten colonies  
of an  $\alpha$ - $\beta$  Ti alloy, fracture toughness of, 177
- X-ray equipment  
for residual stress measurement, a principal distinction between different kinds of, 169
- Yield  
of unoriented and oriented polycarbonate and polypropylene as influenced by temperature, 189
- Young's modulus  
and shear modulus and bulk modulus for polycrystalline metallic elements, the relations between, 225
- Zircaloy-2  
the influence of diffused C on the structure and oxidation of hot-pressed Zircaloy-2, 13

